251 - 106

CONTENTS OF VOLUME 20

205

JANUARY

Z. A. Latif and M. A. Fletcher	1	Immunochemical studies of infectious mononucleosis—XI. Comparison of heterophile antibody inhibitors from the erythrocyte membranes of four mammalian species
E. S. Kimball and J. E. Coligan	11	Amino acid sequence of the cytoplasmic segment of the H-2K^d (H2.31) murine major histocompatibility antigen
D. J. Charron, M.-F. Aellen-Schulz, J. St. Geme III, H. A. Erlich and H. O. McDevitt	21	Biochemical characterization of an invariant polypeptide associated with Ia antigens in human and mouse
N. Koch and D. Haustein	33	Association of surface IgM with two membrane proteins on murine B lymphocytes detected by chemical crosslinking
E. C. B. Milner and J. D. Capra	39	Structural analysis of monoclonal anti-arsonate antibodies: idiotypic specificities are determined by the heavy chain
F. Tedesco, M. A. Villa, P. Densen and G. Sirchia	47	β Chain deficiency in three patients with dysfunctional C8 molecules
R. C. Siegel and V. N. Schumaker	53	Measurement of the association constants of the complexes formed between intact C1q or pepsin-treated C1q stalks and the unactivated or activated $C1r_2C1s_2$ tetramers
R. T. Kubo and M. L. Pelanne	67	Tunicamycin inhibits the expression of membrane IgM in the human lymphoblastoid cell line Daudi
D. R. Lee and S. E. Cullen	77	Disulfide structure of murine Ia alloantigens
K. E. Bernstein, A. Pavirani, C. Alexander, F. Jacobsen, L. Fitzmaurice and R. Mage	89	Use of *Trypanosoma equiperdum* infected rabbits as a source of splenic mRNA; construction of cDNA clones and identification of a rabbit μ heavy chain clone
J. Kulics, M. Dekegel, J. Naessens, W. van der Loo and R. Hamers	101	The quaternary Gs3 and Gs7 allotypes of the rabbit: generation of the determinants by interspecies molecular hybridization
C. Milstein, B. Wright and A. C. Cuello	113	The discrepancy between the cross-reactivity of a monoclonal antibody to serotonin and its immunohistochemical specificity
M. R. Jarvis and E. W. Voss, Jr	125	Determination of dissociation constants and ligand specificity of detergent solubilized surface membrane immunoglobulin A from MOPC-315
		Preliminary Communication
T. Brodniewicz-Proba, C. Perreault and E. F. Potworowski	137	Thymic microenvironmental factor: solubilization and preliminary characterization

FEBRUARY

A. Shimizu, M. Honzawa, S. Ito, T. Miyazaki, H. Matsumoto, H. Nakamura, T. E. Michaelsen and Y. Arata	141	^{1}H NMR studies of the Fc region of human IgG1 and IgG3 immunoglobulins: assignment of histidine resonances in the C_H3 domain and identification of IgG3 protein carrying G3m(st) allotypes

M. Vuento, U.-H. Stenman, E. Salonen, K. Österlund and P. Kuusela — 149 — Effect of chemical modification of arginine and lysine residues of fibronectin on its antigenic and gelatin-binding activity

L. E. Ramm, M. B. Whitlow and M. M. Mayer — 155 — Size distribution and stability of the trans-membrane channels formed by complement complex C5b-9

T. L. Rothstein and M. L. Gefter — 161 — Affinity analysis of idiotype-positive and idiotype-negative Ars-binding hybridoma proteins and Ars-immune sera

F. C. Westall and R. S. Root-Bernstein — 169 — An explanation of prevention and suppression of experimental allergic encephalomyelitis

V. Quesniaux, J.-P. Briand and M. H. V. Van Regenmortel — 179 — Immunochemical studies of turnip yellow mosaic virus—II. Localization of a viral epitope in the *N*-terminal residues of the coat protein

R. A. Eisenberg, D. G. Klapper and P. L. Cohen — 187 — The polypeptide structure of the SM and RNP nuclear antigens

R. K. Ball, J.-Y. Chang, S. S. Alkan and D. G. Braun — 197 — The complete amino acid sequence of the light chain variable region of two monoclonal anti-*p*-azobenzene-arsonate antibodies bearing the cross-reactive idiotype

S. S. Alkan, R. K. Ball, J.-Y. Chang and D. G. Braun — 203 — Heterogeneity of cross-reactive idiotypes. Serological and structural analysis of monoclonal anti-*p*-azobenzene-arsonate antibodies expressing major and minor idiotypes

T. Hitschold, M. D. Golan, U. Rabs and M. Loos — 213 — Purification and physicochemical properties of C1q from guinea-pig serum

H. Ayadi, P. Paroutaud, A. Benammar, P. A. Cazenave and A. D. Strosberg — 223 — Structural studies of a wild rabbit immunoglobulin light chain constant region

Preliminary Communication

R. A. Hudson, I. N. Montgomery and H. C. Rauch — 229 — Experimental allergic encephalomyelitis: prevention with a nontoxic derivative of a cobra neurotoxin

233 — Announcement

MARCH

G. Ekborg, Y. Ittah and C. P. J. Glaudemans — 235 — Monoclonal IgA J539 binds galactopyranosyl antigens on its surface

H. O. Sarvas, I. J. T. Seppälä, T. Tähtinen, F. Péterfy and O. Mäkelä — 239 — Mouse IgG antibodies have subclass associated affinity differences

M. Vandenbranden, R. Jeener and J. M. Ruysschaert — 247 — FC γ of IgG: a specific agent of destabilization of lipid bilayers containing oleic acid

G. Taudou, J. Wiart and J. Panijel — 255 — Influence of amino acid deficiency and tRNA aminoacylation on DNA synthesis and DNA polymerase activity during the secondary immune response *in vitro*

J. Babnik, M. Kopitar and V. Turk — 263 — Immunochemistry of leucocyte intracellular proteinase inhibitors

D. Altschuh, D. Hartman, J. Reinbolt and M. H. V. Van Regenmortel — 271 — Immunochemical studies of tobacco mosaic virus—V. Localization of four epitopes in the protein subunit by inhibition tests with synthetic peptides and cleavage peptides from three strains

M. Okada, K. Takahashi and S. Utsumi — 279 — Conditions which favor the C1-fixation by mouse IgG1

K. C. Ingham, S. A. Brew and S. I. Miekka	287	Interaction of plasma fibronectin with gelatin and complement C1q
T. P. King, A. C. Alagon, J. Kuan, A. K. Sobotka and L. M. Lichtenstein	297	Immunochemical studies of yellowjacket venom proteins
Z. Fishelson and H. J. Müller-Eberhard	309	The C3/C5 convertase of the alternative pathway of complement: stabilization and restriction of control by lanthanide ions
Ch. Ramb, U. Malorny, U. Feige and C. Sorg	317	Characterization of human lymphocyte derived chemotactic factors for mononuclear phagocytes—I. Production and detection
Ch. Ramb, J. E. McEntire and C. Sorg	325	Characterization of human lymphocyte derived chemotactic factors for mononuclear phagocytes—II. Chemical characterization
R. Sorrentino, G. Corte, F. Calabi, N. Tanigaki and R. Tosi	333	Microfingerprinting analysis of human Ia molecules favours a three loci model
		Preliminary Communication
R. T. Kubo and M. L. Pigeon	345	Expression of membrane IgM by a human B lymphoblastoid cell line in the presence of monensin
	349	Erratum

APRIL

A. K. Bhattacharjee, J. E. Bennett, D. R. Bundle and C. P. J. Glaudemans	351	Anticryptococcal type D antibodies raised in rabbits
F. A. Green, N. A. Owens, H. L. Hui, C. Y. Jung and J. Cuppoletti	361	Molecular size of the $Rh_0(D)$ antigen of the human erythrocyte *in situ* by radiation inactivation
D. Yuan and E. S. Vitetta	367	Structural studies of cell surface and secreted IgG in LPS-stimulated murine B cells
C.-W. Vogel, A. Plückthun, E. R. Podack, E. A. Dennis and H. J. Müller-Eberhard	377	The membrane attack complex of complement and its precursor proteins lack phospholipase activity
R. J. Ailore and B. H. Barber	383	Inter- and intramolecular disulfide bonding among lymphocyte plasma membrane proteins and glycoproteins
J.-P. Bouvet, J. Pillot and P. Liacopoulos	397	Human myeloma light chains with increased molecular weight: high frequency among λ chains
M. J. Krantz and S. Laferté	409	Preparation of fragments of carcinoembryonic antigen and identification of a major subset of antigenic determinants
S. Laferté and M. J. Krantz	421	Purification and characterization of a 50,000 mol.wt glycoprotein antigen, and localization of determinants involved in cross-reactivity with carcinoembryonic antigen
T. Borsos and A. Circolo	433	Binding and activation of C1 by cell bound IgG: activation depends on cell surface hapten density
W. R. Moyle, C. Lin, R. L. Corson and P. H. Ehrlich	439	Quantitative explanation for increased affinity shown by mixtures of monoclonal antibodies: importance of a circular complex
S. Hamada, S. M. Michalek, M. Torii, I. Morisaki and J. R. McGhee	453	An enzyme-linked immunosorbent assay (ELISA) for quantification of antibodies to *Streptococcus mutans* surface antigens

A. K. M. Ekramoddoullah, F. T. Kisil and A. H. Sehon — 465 — Immunochemical characterization of a high molecular weight basic allergen (HMBA) of rye grass (*Lolium perenne*) pollen

S. B. Binion and L. S. Rodkey — 475 — Destruction of antibody idiotopes with ultra-low concentrations of reducing agents

T. P. Hopp and K. R. Woods — 483 — A computer program for predicting protein antigenic determinants

J. R. Pink, D. Hoessli, A. Tartakoff and R. Hooghe — 491 — Characterisation of concanavalin A-binding glycoproteins from mouse splenic leukocytes by two-dimensional electrophoresis: preferential binding of incompletely glycosylated forms of H-2 antigen to the lectin

H. Okada, N. Okada and T. Yasuda — 499 — Activation of the alternative complement pathway by IgM antibody reacted on paragloboside incorporated into liposome membrane

MAY

L. A. Potempa and H. Gewurz — 501 — Influence of heparin on interactions between C-reactive protein and polycations

D. Birnbaum, C. Rohner, P. Dubreuil, F. Bourgue, M. Pierres and C. Goridis — 511 — Mouse monoclonal anti-Ia antibodies recognize cross-reacting determinants expressed on distinct subsets of human Ia-like cell-surface molecules

B. L. Pacella, Jr., K. Y. Hui, E. Haber and G. R. Matsueda — 521 — Induction of fibrin-specific antibodies by immunization with synthetic peptides that correspond to amino termini of thrombin cleavage sites

J. P. Evans, P. J. Brown, L. T. Sinor, L. L. Tilzer, M. Beck and F. V. Plapp — 529 — Detection of an antigen on the inner surface of Rh negative erythrocytes which binds anti-D IgG

T. Nusair, R. Baumal, R. Rosenstein, T. Jørgensen and A. Marks — 537 — Characterization of idiotopes on MOPC 315 IgA using monoclonal antiidiotypic antibodies

C. Lapresle and N. Doyen — 549 — Study of an antigenic site of human serum albumin with monoclonal antibodies

M. S. Lee, W. J. Horng, A. Gilman-Sachs and S. Dray — 557 — The common idiotypic specificity of anti-a2 allotype antibodies: contribution of H and L chains to idiotype expression

Preliminary Communications

F. H. Cameron, P. J. Russell, J. Sullivan and A. F. Geczy — 563 — Is a *Klebsiella* plasmid involved in the aetiology of ankylosing spondylitis in HLA-B27-positive individuals?

C. R. Young, H. E. Schmitz and M. Z. Atassi — 567 — Antibodies with specificities to preselected protein regions evoked by free synthetic peptides representing protein antigenic sites or other surface locations: demonstration with myoglobin

Announcement

571 — IR983F cell line

JUNE

G. F. Casperson and E. W. Voss, Jr — 573 — Specificity of anti-DNA antibodies in SLE—I. Definition and gross specificity of antibody populations in human SLE plasma

G. F. Casperson and E. W. Voss, Jr — 581 — Specificity of anti-DNA antibodies in SLE—II. Relative contribution of backbone, secondary structure and nucleotide sequence to DNA binding.

E. J. Leonard and A. Skeel	589	A high molecular weight chemoattractant generated from C5 by ultracentrifugation of mouse serum without activation of complement
D. Hädge and H. Ambrosius	597	Evolution of low molecular weight immunoglobulins—III. The immunoglobulin of chicken bile—not an IgA
H. C. Gooi, L. K. Williams, K. Uemura, E. F. Hounsell, R. A. J. McIlhinney and T. Feizi	607	A marker of human foetal endoderm defined by a monoclonal antibody involves type 1 blood group chains
D. S. Pisetsky, E. A. Lerner and S. Caster	615	Idiotypic cross-reaction between MRL autoantibodies and a BALB/c myeloma
T. A. Gaither, C. H. Hammer, J. E. Gadek, K. Katusha, M. Santaella and M. M. Frank	623	Cleavage of membrane-bound C3b and C3bi by viable human neutrophils (PMN)
T. E. Hugli, M. S. Kawahara, C. G. Unson, R. Molinar-Rode and B. W. Erickson	637	The active site of human C4a anaphylatoxin
J. M. Conroy, R. G. B. Roy, M. A. Vick and R. D. Salter	647	Heterogeneity in anticatalytic activity of antibody specific for horseradish peroxidase
F. Albert, C. Boyer, L. D. Leserman and A.-M. Schmitt-Verhulst	655	Immunopurification and insertion into liposomes of native and mutant H-2K^b: quantification by solid phase radioimmunoassay
A.-C. Syvänen, T. Kärkkäinen and U. Hamberg	669	Conformation and sequence dependent antigenic determinants in human low molecular weight kininogen
M. I. Nik Jaafar, J. A. Lowe, N. R. Ling and R. Jefferis	679	Immunogenic and antigenic epitopes of immunoglobulins—V. Reactivity of a panel of monoclonal antibodies with sub-fragments of human Fcγ and abnormal paraproteins having deletions
R. Tosi, N. Tanigaki and D. Centis	687	Influence of ionic strength on the antibody binding of MHC products
		Letter to the Editor
C. J. van Oss, A. W. Neumann and D. R. Absolom	693	Fc receptors on erythrocytes?
		Book Review
D. S. Secher	695	Interferon 1981. Edited by Ion Gresser

JULY

M. El Ayeb, M. F. Martin, P. Delori, G. Bechis and H. Rochat	697	Immunochemistry of scorpion α-neurotoxins. Determination of the antigenic site number and isolation of a highly enriched antibody specific to a single antigenic site of toxin II of *Androctonus australis Hector*
D. Onică, G. Moţa, A. Călugăru, M. Manciulea and S. Dima	709	Immunogenicity and effector functions of glutaraldehyde-treated rabbit and mouse immunoglobulin G
H. E. Schmitz, H. Atassi and M. Z. Atassi	719	Production of monoclonal antibodies with preselected submolecular binding specificities to protein antigenic sites: antibodies to sperm whale myoglobin sites
P. M. Kaladas, R. Goldberg and R. D. Poretz	727	Rabbit anti-carbohydrate antibody elicited by the lymphocyte mitogenic glycoprotein from *Wistaria floribunda* seeds
R. C. Giles, D. G. Klapper and L. W. Clem	737	Intramolecular heterogeneity of ligand binding by two IgM antibodies derived from murine hybridomas

G. M. Bahr, Z. Eshhar, R. Ben-Yitzhak, F. Z. Modabber, R. Arnon, M. Sela and L. Chedid	745	Monoclonal antibodies to the synthetic adjuvant muramyl dipeptide: characterization of the specificity
C. Tonnelle, P.-A. Cazenave, C. Brézin, D. Moinier and M. Fougereau	753	Structural correlates to the rabbit immunoglobulin heavy chain a100 allotype
G. Corradin, M. A. Juillerat, C. Vita and H. D. Engers	763	Fine specificity of a BALB/c T cell clone directed against beef apo cytochrome *c*
F. A. Green	769	The mode of attenuation of erythrocyte membrane $Rh_0(D)$ antigen activity by 5,5′-dithiobis-(2-nitrobenzoic acid) and protection against loss of activity by bound anti-$Rh_0(D)$ antibody
A. Krop-Wątorek, P. Sedlaczek and E. Lisowska	777	The subunit structure of non-specific cross-reacting antigen (NCA)
S. S. Rajan, K. R. Ely, E. E. Abola, M. K. Wood, P. M. Colman, R. J. Athay and A. B. Edmundson	787	Three-dimensional structure of the Mcg IgG1 immunoglobulin
	801	Erratum
	803	Announcements

AUGUST

J. Kulics, E. Rajnavölgyi, G. Füst and J. Gergely	805	Interaction of C3 and C3b with immunoglobulin G
C. J. Lobb and L. W. Clem	811	Distinctive subpopulations of catfish serum antibody and immunoglobulin
D. S. Kazdin and W. J. Horng	819	A *bi-directional* immune network mechanism: simultaneous induction of idiotype and anti-anti-idiotype in rabbits immunized with antibody to a *common* idiotypic specificity of anti-VHa2-allotype antibodies
L.-M. Kuo and H. C. Davies	827	Production, isolation and characterization of monoclonal antibodies to cytochromes *c* of beef heart and *Paracoccus denitrificans*
J. C. Lincoln and D. I. Stott	839	Nuclear proteins associated with gene expression in mouse plasmacytoma cell lines
Y. Koyama, S. Endo, T. Seki, N. Sato and H. Shiokawa	851	Antigenic structure of adenylate kinase from porcine skeletal muscle—II. Immunochemical cross-reactivity of fragments from adenylate kinase
N. Okada, T. Yasuda, T. Tsumita and H. Okada	857	Differing reactivities of human and guinea-pig complement on haptenized liposomes via the alternative pathway
A. Cooper-Willis and G. W. Hoffmann	865	Symmetry of effector function in the immune system network
I. Jónsdóttir, H.-P. T. Ekre and P. Perlmann	871	Comparative study of pituitary and bacteria-derived human growth hormone by monoclonal antibodies
C. Vincent and J.-P. Revillard	877	Auto-antibodies specific for $\beta 2$ microglobulin in normal human serum
L. Lögdberg and L. Björck	885	Binding of mammalian β_2-microglobulin by glycoproteins in fish serum
D. H. Bing	893	The interaction of immune serum globulin and immune globulin intravenous with complement

SEPTEMBER
Special Issue

Molecular and Cellular Developments in Secretory Immunity

Guest Editors: B. J. Underdown and J. Mestecky

	901	Introduction
		Regulation of Secretory Immunoglobulin Synthesis
E. R. Clough and J. J. Cebra	903	Interrelationship of primed B cells with the potential for IgE and/or IgA expression
H. Kawanishi and W. Strober	917	T cell regulation of IgA immunoglobulin production in gut-associated lymphoid tissues
G. L. Milburn and R. G. Lynch	931	Anti-idiotypic regulation of IgA expression in myeloma cells
P. Brandtzaeg	941	Immunohistochemical characterization of intracellular J-chain and binding site for secretory component (SC) in human immunoglobulin (Ig)-producing cells
W. H. Kutteh, Z. Moldoveanu, S. J. Prince, R. Kulhavy, F. Alonso and J. Mestecky	967	Biosynthesis of J-chain in human lymphoid cells producing immunoglobulins of various isotypes
M. E. Conley, A. Arbeter and S. D. Douglas	977	Serum levels of IgA_1 and IgA_2 in children and in patients with IgA deficiency
		Structural Aspects of IgA
A. M. Stanisz, R. Lieberman, A. Kaplan and J. M. Davie	983	IgA polymorphism in mice; NZB and BALB/c mice produce two forms of IgA
K. L. Muth, W. C. Hanly and K. L. Knight	989	Serologic cross-reactions among rabbit secretory IgA molecules: evidence for multiple subclasses of secretory IgA-f molecules
E. van Loghem and J. Biewenga	1001	Allotypic and isotypic aspects of human immunoglobulin A
		Functional Aspects of IgA in Infection and Immunity
S. M. Michalek, I. Morisaki, R. L. Gregory, H. Kiyono, S. Hamada and J. R. McGhee	1009	Oral adjuvants enhance IgA responses to *Streptococcus mutans*
M. W. Fanger, S. N. Goldstine and L. Shen	1019	Cytofluorographic analysis of receptors for IgA on human polymorphonuclear cells and monocytes and the correlation of receptor expression with phagocytosis
J. Gauldie, C. Richards and L. Lamontagne	1029	Fc receptors for IgA and other immunoglobulins on resident and activated alveolar macrophages
J. V. Gilbert, A. G. Plaut, B. Longmaid and M. E. Lamm	1039	Inhibition of microbial IgA proteases by human secretory IgA and serum
M. Kilian, B. Thomsen, T. E. Petersen and H. Bleeg	1051	Molecular biology of *Haemophilus influenzae* IgA1 proteases

OCTOBER

J.-G. Guillet, P. Marche, J. Hoebeke and A. D. Strosberg	1059	Physicochemical studies on the antigen–antibody complexes of two monoclonal antibodies against rabbit thymocytes
C. Genin and P. Lesavre	1069	Immune-complexes solubilization: effect of antigen–antibody ratio and relative role of alternative and classical complement pathways

M. Slaoui, J.-D. Franssen, P. Hérion and J. Urbain	1073	Idiotypic studies of monoclonal anti-tobacco mosaic virus antibodies from one mouse
D. A. Carson and S. Fong	1081	A common idiotope on human rheumatoid factors identified by a hybridoma antibody
S. Basu, J. Pal, C. V. N. Rao, A. N. Chakrabarty and S. G. Dastidar	1089	Immunochemical studies on a polysaccharide from *Shigella dysenteriae* type 2
C. Stähli, B. Takács and C. Kocyba	1095	Monoclonal antibodies to thymosin $\alpha 1$
I. F. Lüscher, C. H. Schneider, A. L. de Weck and E. A. Weber	1099	Induction of immunological tolerance to the penicilloyl antigenic determinant—IV. The effect of BPO-oligolysines and cholestanol-bearing BPO-oligolysines on murine IgE responses
D. Zhu, H. S. Kim and H. F. Deutsch	1107	Variable-region sequences of five human λ-chain proteins reacting with an idiotypic antibody to the MCG Bence-Jones protein
K. B. M. Reid and R. A. Thompson	1117	Characterization of a non-functional form of C1q found in patients with a genetically linked deficiency of C1q activity
S. W. Evans, T. Feizi, R. Childs and N. R. Ling	1127	Monoclonal antibody against a cross-reactive idiotypic determinant found on human autoantibodies with anti-I and -i specificities
M. Yoshioka, G. S. Bixler, Jr. and M. Z. Atassi	1133	*Preliminary Communication* Preparation of T-lymphocyte lines and clones with specificities to preselected protein sites by *in vitro* passage with free synthetic peptides: demonstration with myoglobin sites

NOVEMBER

A. P. Turkewitz, C. P. Sullivan and M. F. Mescher	1139	Large-scale purification of murine I-A^k and I-E^k antigens and characterization of the purified proteins
M. Janusz, K. Starościk, W. Gorczyca, Z. Wieczorek and J. Lisowski	1149	Guinea-pig peritoneal macrophage receptor for IgG—II. Purification of the receptor and its partial characterization
R. J. Boackle, G. B. Caughman, J. Vesely, G. Medgyesi and H. H. Fudenberg	1157	Potentiation of Factor H by heparin: a rate-limiting mechanism for inhibition of the alternative complement pathway
L. A. Potempa, B. A. Maldonado, P. Laurent, E. S. Zemel and H. Gewurz	1165	Antigenic electrophoretic and binding alterations of human C-reactive protein modified selectively in the absence of calcium
D. M. Segal, S. K. Dower and J. A. Titus	1177	The role of non-immune IgG in controlling IgG-mediated effector functions
B. Kudryk, A. Rohoza, M. Ahadi, J. Chin and M. E. Wiebe	1191	A monoclonal antibody with ability to distinguish between NH_2-terminal fragments derived from fibrinogen and fibrin
J. E. Volanakis and A. J. Narkates	1201	Binding of human C4 to C-reactive protein–pneumococcal C-polysaccharide complexes during activation of the classical complement pathway
E. Petit-Koskas, J. Roland, A. Benammar and P.-A. Cazenave	1209	Mouse monoclonal antibodies against rabbit b6 allotype and their use for characterization of light-chain subpopulations
J. K. Picard and T. Feizi	1215	Peanut lectin and anti-Ii antibodies reveal structural differences among human gastrointestinal glycoproteins

Y. Akagaki and S. Inai	1221	Activation of the alternative complement pathway by the immune precipitate formed with $F(ab')_2$ fragment of human IgG antibody
M. Nakanishi, A. A. Brian and H. M. McConnell	1227	Binding of cytotoxic T-lymphocytes to supported lipid monolayers containing trypsinized H-$2K^k$
		Preliminary Communications
H. Okada and H. Tanaka	1233	Species-specific inhibition by glycophorin of complement activation via the alternative pathway
L. A. Manson and A. Tax	1237	A viral coat glycoprotein (gp52 MuMTV) has detergent-sensitive and detergent-resistant epitopes in the same molecule
D. L. Johnson, R. S. Yamamoto, J. M. Plunkett, I. K. Masunaka and G. A. Granger	1241	Purification to electrophoretic homogeneity of human alpha lymphotoxin from a cloned continuous lymphoblastoid cell line IR 3.4
		Letter to the Editor
G. Moţa	1245	Hydrophobic interaction only in non-specific binding of ligands?
		Announcement
	1247	9th International Convocation on Immunology

DECEMBER

Y. S. Choi, M. S. Lee and A. J. Rosenspire	1249	A novel method for radiolabeling antigen-binding receptors of lymphocytes
D. Nathaniel and A. Mellors	1259	Mitogen effects on lipid metabolism during lymphocyte activation
E. I. Dudich and I. V. Dudich	1267	Polarization fluorescence, spin label and ultracentrifugal studies of specific interaction of low molecular weight proteins with the Fc fragment of human immunoglobulin G
I. V. Dudich, E. I. Dudich and V. P. Timofeev	1273	Release of low molecular weight proteins from the Fc fragment of rabbit immunoglobulin G induced by formation of insoluble complexes with antigen
K. Starościk, M. Janusz, M. Zimecki, Z. Wieczorek and J. Lisowski	1277	Immunologically active nonapeptide fragment of a proline-rich polypeptide from ovine colostrum: amino acid sequence and immunoregulatory properties
L. E. Cannon and R. T. Woodland	1283	Rapid and sensitive procedure for assigning idiotypic determinants to heavy or light chains: application to idiotopes associated with the major cross-reactive idiotype of A/J anti-phenylarsonate antibodies
R. Bucala and A. Cerami	1289	Characterization of antisera to the addition product formed by the nonenzymatic reaction of 16α-hydroxyestrone with albumin
A. C. Morgan, Jr and R. F. McIntyre	1293	Monoclonal antibody defined–human melanoma-associated antigens: molecular and phylogenetic studies in normal serum
D. M. Kranz and E. W. Voss, Jr	1301	Idiotypic analysis of monoclonal anti-fluorescyl antibodies: localization and characterization of idiotypic determinants
D. M. Kranz, D. W. Ballard and E. W. Voss, Jr	1313	Expression of defined idiotypes throughout the BALB/c anti-fluorescyl antibody response: affinity and idiotype analyses of heterogeneous antibodies
J. N. Herron and E. W. Voss, Jr	1323	Analysis of heterogeneous dissociation kinetics in polyclonal populations of rabbit anti-fluorescyl-IgG antibodies

H. Quill and B. D. Schwartz	1333	Invariant proteins associated with guinea-pig Ia antigens
K. Furuya and S. Urasawa	1347	Electrostatic and hydrophobic effects in chromatography of rabbit IgG immunoglobulins on aminohexyl Sepharose substituted with bis-(*p*-chlorophenyl)-acetic acid
W. L. Bigbee, M. Vanderlaan, S. S. N. Fong and R. H. Jensen	1353	Monoclonal antibodies specific for the M- and N-forms of human glycophorin A
R. W. James, C. Alliod and B.-W. Fulpius	1363	Lack of cross-reactivity of a monoclonal antibody against the neurotransmitter site of *Torpedo* nicotinic acetylcholine receptor with muscle receptors from several sources
K. Y. Pak, M. Blaszczyk, Z. Steplewski and H. Koprowski	1369	Identification and isolation of a common tumor-associated molecule using monoclonal antibody
S. K. Clark, Jr, J. M. Conroy and P. J. Harris	1379	The effect of alternate substrates and substrate concentration on the antibody-mediated inhibition of horseradish peroxidase
R. Cigén	1385	Distribution of the two forms of guinea-pig β_2-microglobulin originally detected in urine
B. A. Baldo and M. McD. Fisher	1393	Anaphylaxis to muscle relaxant drugs: cross-reactivity and molecular basis of binding of IgE antibodies detected by radioimmunoassay
F. Maillet, M. D. Kazatchkine, D. Glotz, E. Fischer and M. Rowe	1401	Heparin prevents formation of the human C3 amplification convertase by inhibiting the binding site for B on C3b
P. Sanchez. C. le Guern and P.-A. Cazenave	1405	Incomplete expression of the MOPC 460 idiotype in the sera of BALB/c mice immunized either with DNP antigen or with anti-idiotypic antibodies
U. Turpeinen	1411	Studies on the antigenicity and carbohydrates of human low molecular weight kininogen
		Preliminary Communication
J. A. Glasel, W. M. Bradbury and R. F. Venn	1419	Properties of murine anti-morphine antibodies
	i	List of Contents and Author Index for Volume 20, 1983